

**SAFETY DATA SHEET****AKPEROX BP50 PASTE**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

**Product name** AKPEROX BP50 PASTE  
**Chemical name** Di Benzoyl Peroxide, Paste, 50%

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Industrial use.  
**Uses advised against** No specific uses advised against are identified.

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer** AKPA KİMYA AMBALAJ SANAYİ VE TİCARET ANONİM ŞİRKETİ  
Yenibosna Merkez Mah. Ladin Sok. No:36/70 Kat:12 34197  
Townofis Bahçelievler, İstanbul, TÜRKİYE  
Web: www.akpakimya.com  
TEL: +90 212 580 55 59  
FAX: +90 212 580 55 21  
E-mail: info@akpakimya.com  
**Contact person** Export Department - export@akpakimya.com

**1.4. Emergency telephone number**

**Emergency telephone** CHEMTREC: TOLL Free 1-800-424-9300 / Local: +1-703-527-3887  
**For product information** AKPA CHEMICALS US: +1 803 686 2888

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

**Physical hazards** Org. Perox. E - H242  
**Health hazards** Eye Irrit. 2 - H319; Skin Sens. 1A - H317  
**Environmental hazards** Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410

**2.2. Label elements****Pictogram****Signal Word****Hazard statements****Warning**

**H242** Heating may cause a fire.  
**H317** May cause an allergic skin reaction.  
**H319** Causes serious eye irritation.

**SAFETY DATA SHEET****AKPEROX BP50 PASTE**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**H410** Very toxic to aquatic life with long lasting effects.**Precautionary statements****P201** Obtain special instructions before use.**P220** Keep away from acids, alkalis, heavy metal compounds, oxidizing material, combustible materials.**P280** Wear protective gloves/protective clothing/ eye protection/ face protection.**P301+P310 IF SWALLOWED:** Immediately call a POISON CENTER or doctor/ physician.**P305+P351+P338 IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P308+P313 IF exposed or concerned:** Get medical advice/attention.**P501** Dispose of contents/ container in accordance with national regulations.**Commission Regulation (EU) No 2015/830 of 28 May 2015.****Contains**

dibenzoyl peroxide

**2.3. Other hazards**

This substance is not classified as PBT or vPvB according to current EU criteria.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>Dibenzoyl Peroxide</b>		<b>%49-51</b>	
<b>REACH Reg. No: 01-2119511472-50-0017</b>			
<b>CAS Number</b>	<b>94-36-0</b>	<b>EC Number</b>	<b>202-327-6</b>
<b>Classification</b>			
Org. Perox. B	H241		
Skin Sens. 1	H317		
Eye Irrit. 2	H319		
Aquatic Acute 1	H400		
Aquatic Chronic 1	H410		
<b>Dimethyl Phthalate</b>		<b>%1-5</b>	
<b>REACH Reg. No: 01-2119437229-36-0008</b>			
<b>CAS Number</b>	<b>131-11-3</b>	<b>EC Number</b>	<b>205-011-6</b>
<b>Classification</b>			
Not Classified.			

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures**

## SAFETY DATA SHEET

### AKPEROX BP50 PASTE

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### 4.1. Description of first aid measures

<b>General information</b>	General first aid, rest, warmth and fresh air. Do not give victim anything to drink if they are unconscious. Get medical attention if any discomfort continues.
<b>Inhalation</b>	Place unconscious person on the side in the recovery position and ensure breathing can take place. If respiratory problems, artificial respiration/ oxygen. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Immediately rinse mouth and provide fresh air. DO NOT induce vomiting. Get medical attention immediately.
<b>Skin contact</b>	Remove affected person from source of contamination. Immediately remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Nausea, vomiting. Dizziness.
<b>Ingestion</b>	May cause stomach pain or vomiting.
<b>Skin contact</b>	Prolonged skin contact may cause redness and irritation.
<b>Eye contact</b>	Irritation of eyes and mucous membranes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically. May cause sensitization or allergic reactions in sensitive individuals.
-----------------------------	--

**SAFETY DATA SHEET****AKPEROX BP50 PASTE**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**5.1. Extinguishing media****Suitable extinguishing media**

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

**Unsuitable extinguishing Media**

Halon. Direct water jet.

**5.2. Special hazards arising from the substance or mixture****Specific hazards**

In case of fire, toxic gases may be formed. Vapours may form explosive air mixtures even at room temperature. Containers can burst violently when heated, due to excess pressure build-up.

**Hazardous decomposition products**

Fire causes formation of toxic gases. Forms explosive mixtures with air. May explode when heated or when exposed to flames or sparks.

**5.3. Advice for firefighters****Protective actions during firefighting**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Face mask, protective gloves and safety helmet.

**Special protective equipment for firefighters**

Use pressurised air mask if product is involved in a fire. Cool containers exposed to for firefighters flames with water until well after the fire is out. If possible, fight fire from protected position. Move container from fire area if it can be done without risk. Avoid water in straight hose stream; will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control. If risk of water pollution occurs, notify appropriate authorities.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****Personal precautions**

Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation.

**6.2. Environmental precautions****Environmental precautions**

Do not discharge into drains, water courses or onto the ground. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

**6.3. Methods and material for containment and cleaning up****Methods for cleaning up**

Keep combustibles away from spilled material. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Dike far ahead of larger spills for later disposal. Absorb in vermiculite, dry sand

**SAFETY DATA SHEET****AKPEROX BP50 PASTE**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

or earth and place into containers. Wash thoroughly after dealing with a spillage.

**6.4. Reference to other sections**  
**Reference to the other sections**

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**  
**Usage precautions**

Keep away from heat, sparks and open flame. Avoid inhalation of vapours/spray and contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Do not handle broken packages without protective equipment.

**Advice on general occupational hygiene**

Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices. Mechanical ventilation or local exhaust ventilation may be required. Container must be kept tightly closed. Protect against direct sunlight.

**7.2. Conditions for safe storage, including any incompatibilities**  
**Storage precautions**

Keep away from oxidisers, heat and flames. Store in tightly closed original container in a dry, cool and well-ventilated place. Avoid contact with oxidising agents. Store away from: Acids. Alkalis. Heavy metal compounds. Oxidising material - Keep away from flammable and combustible materials. Store in closed original container at temperatures between 5°C and 30°C. Provide an adequate ventilation system.

**Storage Class**

IIB

**7.3. Specific end use(s)**  
**Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

**SECTION 8: Exposure Controls/personal protection****8.1. Control Parameters****Occupational exposure limits**

## SAFETY DATA SHEET AKPEROX BP50 PASTE

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Ingredients	CAS No.	Value	Control Parameters	Basis
Dibenzoyl peroxide	94-36-0	TWA	5 mg/m <sup>3</sup>	ACGIH NIOSH REL OSHA Z-1 OSHA P0
Dimethyl phthalate	131-11-3	TWA	5 mg/m <sup>3</sup>	ACGIH NIOSH REL OSHA Z-1 OSHA P0 CAL PEL
		MPC-TWA	0,3 mg/m <sup>3</sup>	RU OEL
		MPC-Stel	1 mg/m <sup>3</sup>	RU OEL

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Dibenzoyl peroxide	Consumers	Oral	Longterm System	1.65 mg/kg bw/day
	Workers	Dermal	Longterm System	6.6 mg/kg bw/day
	Consumers	Dermal	Longterm System	3.3 mg/kg bw/day
	Workers	Inhalation	Longterm System	11.75 mg/m <sup>3</sup>
	Consumers	Inhalation	Longterm System	2.9 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Dibenzoyl peroxide	Fresh water	0,000602 mg/l
	Marine water	0,0000602 mg/l
	Intermittent use/release	0,493 mg/l
	Fresh water sediment	0,338 mg/kg
	Marine sediment	0,0338 mg/kg
	Sewage treatment plant	0,35 mg/l

### 8.2. Exposure controls Protective equipment



Appropriate engineering controls

**SAFETY DATA SHEET****AKPEROX BP50 PASTE**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. All handling to take place in well-ventilated area.

**Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

**Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

**Other skin and body protection**

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

**Hygiene measures**

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Isolate contaminated clothing and wash before reuse. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Wash promptly with soap & water if skin becomes contaminated.

**Respiratory protection**

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Wear suitable mask. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14 387 and EN143. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

**SAFETY DATA SHEET****AKPEROX BP50 PASTE**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**Environmental exposure controls** Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

**SECTION 9: Physical and Chemical Properties****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Paste.
<b>Colour</b>	Red, White.
<b>Odour</b>	Characteristic.
<b>Melting point</b>	Not available.
<b>Flash point</b>	No data available.
<b>Density</b>	1,10 - 1,14 gr/cm <sup>3</sup> @20°C
<b>Solubility(ies)</b>	Insoluble in water.
<b>Viscosity</b>	Not available.

**9.2. Other information**

<b>Active Oxygen Content</b>	3,23 - 3,38 %
<b>SADT</b>	50°C

**SECTION 10: Stability and reactivity****10.1. Reactivity**

**Reactivity** There are no known reactivity hazards associated with this product.

**10.2. Chemical stability**

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** No potentially hazardous reactions.

**10.4. Conditions to avoid**

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

**10.5. Incompatible materials**

**Materials to avoid** Strong alkalis. Strong acids. Strong oxides. Strong reducing agents. Metals.

**10.6. Hazardous decomposition products**

**Hazardous decomposition Products** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrocarbons.



## SAFETY DATA SHEET

### AKPEROX BP50 PASTE

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

###### Product Information

<b>Toxicological information</b>	The product is not tested.
<b>Serious eye damage/irritation:</b>	Causes serious eye irritation.
<b>Skin corrosion/irritation:</b>	Based on available data the classification criteria are not met.
<b>Respiratory or skin sensitisation:</b>	
<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<b>Skin sensitisation</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity:</b>	Genotoxicity - In Vitro - In Vivo Based on available data the classification criteria are not met.
<b>Carcinogenicity:</b>	Based on available data the classification criteria are not met.
<b>Reproductive Toxicity - Fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive Toxicity – Development</b>	Based on available data the classification criteria are not met.
<b>Specific target organ toxicity - single exposure:</b>	
STOT - Single exposure	Based on available data the classification criteria are not met.
<b>Specific target organ toxicity - repeated exposure:</b>	
STOT - Repeated exposure	Based on available data the classification criteria are not met.
<b>Aspiration Hazard</b>	Based on available data the classification criteria are not met.
<b>Inhalation</b>	In high concentrations, vapours may irritate throat and respiratory system and cause coughing.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	May cause an allergic skin reaction.
<b>Eye contact</b>	Irritating and may cause redness and pain.
<b>Route of entry</b>	Ingestion Inhalation Skin and/or eye contact
<b>Target organs</b>	Respiratory system, lungs
<b>Medical considerations</b>	Skin disorders and allergies.

#### Toxicology Data For The Ingredients:

## SAFETY DATA SHEET

### AKPEROX BP50 PASTE

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### Dibenzoyl peroxide

Acute oral toxicity	LD50: >5,000 mg/kg	Species: Rat
Acute inhalation toxicity	LC50 (Rat): >24.3 mg/l	Exposure time: 4h

#### Dimethyl phthalate

Acute oral toxicity	LD50: >5000 mg/kg	Species: Rat
Acute dermal toxicity	LD50: >10000 mg/kg	Species: Rabbit
Acute inhalation toxicity	The substance or mixture has no acute inhalation toxicity	

## SECTION 12: Ecological Information

### 12.1. Toxicity

#### Ecological information on ingredients.

##### Dibenzoyl peroxide

<b>Toxicity to fish</b>	EC50, 96h (Oncorhynchus mykiss (rainbow trout)): 0.06 mg/l
<b>Toxicity to daphnia and other aquatic invertebrates</b>	EC50, 48h (Daphnia magna (Water flea)): 0.11 mg/l
<b>Toxicity to algae</b>	EC50, 72h (Pseudokirchneriella subcapitata (green algae)): 0.06 mg/l
<b>Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)</b>	EC10, 21d (Daphnia magna (Water flea)): 0.001 mg/l

##### Dimethyl phthalate

<b>Toxicity to fish</b>	LC50, 96h: 420 mg/l
<b>Toxicity to algae</b>	EC10, 72h: 193,09 mg/l
<b>Toxicity to fish (Chronic Toxicity)</b>	NOEC, 102d: 11 mg/l
<b>Toxicity to daphnia and other aquatic invertebrates (Chronic Toxicity)</b>	NOEC, 21d: 9,6 mg/l

### 12.2. Persistence and degradability

**Persistence and degradability** The product is readily biodegradable.

### 12.3. Bio accumulative potential

**Bio accumulative potential** No data available on bioaccumulation.

### 12.4. Mobility in soil

**Mobility** The product is partly miscible with water and may spread in the aquatic environment.

## SAFETY DATA SHEET AKPEROX BP50 PASTE

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** May be hazardous to aquatic life.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### General information

Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.

#### Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Containers should be thoroughly emptied before disposal because of the risk of an explosion. Environmental Manager must be informed of all major spillages.

## SECTION 14: Transport information

### General information

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

#### 14.1. UN number

UN No. (ADR/RID)	3108
UN No. (IMDG)	3108
UN No. (ICAO)	3108
UN No. (ADN)	3108

#### 14.2. UN proper shipping name

Proper Shipping name(ADR/RID)	ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL PEROXIDE)
Proper Shipping name (IMDG)	ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL PEROXIDE)
Proper Shipping name (ICAO)	ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL PEROXIDE)
Proper Shipping name (ADN)	ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL PEROXIDE)

#### 14.3. Transport hazard class(es)

ADR/RID class	5.2
ADR/RID label	5.2
IMDG class	5.2
ICAO class/division	5.2
ADN class	5.2

## SAFETY DATA SHEET

### AKPEROX BP50 PASTE

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### Transport labels



#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



#### 14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-J, S-R
Emergency Action Code	1W
Hazard Identification Number (ADR/RID)	-
Tunnel restriction code	(D)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL Not Applicable.

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations

Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.

##### EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

**SAFETY DATA SHEET****AKPEROX BP50 PASTE**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Storage Class IIB

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information**

<b>Key literature references and sources for data</b>	This SDS is prepared based on the information received from the product owner.
<b>Classification procedures according to Regulation (EC) 1272/2008</b>	Org. Perox. E H242; Eye Irrit 2 H319; Skin sens.1A H317; Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410 Calculation Method.
<b>Training advice</b>	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
<b>Revision comments</b>	The SDS is generated in accordance with the 1907/2006 REACH and 1272/2008 CLP regulations. Section 2 and section 3 is revised.
<b>Issued By</b>	Simge ARIK - lab@akpakimya.com +90 282 361 80 99
<b>Issued Date</b>	17.04.2017
<b>Revision date</b>	22.02.2021
<b>Revision</b>	4.0
<b>Hazard statements in full</b>	
<b>H241</b>	Heating may cause a fire or explosion..
<b>H242</b>	Heating may cause a fire.
<b>H317</b>	May cause an allergic skin reaction.
<b>H319</b>	Causes serious eye irritation.
<b>H400</b>	Very toxic to aquatic life.
<b>H410</b>	Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.