

**SAFETY DATA SHEET****AKPEROX CAT K**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

**Product name** AKPEROX CAT K  
**Chemical name** bis(3,5,5-trimethylhexanoyl) peroxide

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Industrial use.  
**Uses advised against** No specific uses advised against are identified.

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer** AKPA KİMYA AMBALAJ SANAYİ VE TİCARET ANONİM ŞİRKETİ  
Yenibosna Merkez Mah. Ladin Sok. No:36/70 Kat:12 34197  
Townofis Bahçelievler, İstanbul, TÜRKİYE  
Web: www.akpakimya.com  
TEL: +90 212 580 55 59  
FAX: +90 212 580 55 21  
E-mail: info@akpakimya.com  
**Contact person** Export Department - export@akpakimya.com

**1.4. Emergency telephone number**

**Emergency telephone** CHEMTREC: TOLL Free 1-800-424-9300 / Local: +1-703-527-3887  
**For product information** AKPA KİMYA: +90 549 558 40 40

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**  
**Physical hazards** Org. Perox. D - H242  
**Health hazards** Skin Irrit. 2 - H315; Skin Sens. 1 - H317; Asp. Tox. 1 - H304  
**Environmental hazards** Not classified.

**2.2. Label elements****Pictogram****Signal Word****Hazard statements****Danger**

**H242** Heating may cause a fire.  
**H304** May be fatal if swallowed and enters airways.  
**H315** Causes skin irritation.

## SAFETY DATA SHEET

### AKPEROX CAT K

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### Precautionary statements

- H317** May cause an allergic skin reaction.
- P210** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220** Keep away from acids, alkalis, heavy metal compounds, oxidizing material, combustible materials.
- P280** Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310** IF SWALLOWED: Immediately call a POISON CENTER/doctor.
- P302+P352 IF ON SKIN:** Wash with plenty of soap and water.
- P331** Do NOT induce vomiting.
- P333+P313** If skin irritation or rash occurs: Get medical advice/attention.
- P411+P235** Store at temperatures not exceeding (-10) - (-5)°C. Keep cool.
- P501** Dispose of contents/ container in accordance with national regulations.

#### Commission Regulation (EU) No 2015/830 of 28 May 2015.

#### Contains

bis(3,5,5-trimethylhexanoyl) peroxide

#### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Bis(3,5,5-trimethylhexanoyl) peroxide		%74-76
CAS Number	3851-87-4	EC Number 223-356-0
<b>Classification</b>		
Org. Perox. C	H242	
Asp. Tox. 1	H304	
Skin Irrit. 2	H315	
Skin Sens. 1	H317	
Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated		%24-26
CAS Number	93685-81-5	EC Number 297-629-8
<b>Classification</b>		
Flam. Liq. 3	H226	
Asp. Tox. 1	H304	M(Chronic)=0
Aquatic Chronic 4	H413	
EUH066		

**SAFETY DATA SHEET****AKPEROX CAT K**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Chemical burns must be treated by a physician.

**Inhalation**

Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place. Get medical attention if any discomfort continues.

**Ingestion**

Rinse mouth thoroughly with water. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Get medical attention immediately.

**Skin contact**

It is important to remove the substance from the skin immediately. Take off immediately all contaminated clothing. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention. Chemical burns must be treated by a physician.

**Eye contact**

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Get medical attention if symptoms are severe or persist after washing.

**Protection of first aiders**

First aid personnel should wear appropriate protective equipment during any rescue. If it is suspected that volatile contaminants are still present around the affected person, first aid personnel should wear an appropriate respirator or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

**SAFETY DATA SHEET****AKPEROX CAT K**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**4.2. Most important symptoms and effects, both acute and delayed****General information**

See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation**

Nausea, vomiting. Dizziness.

**Ingestion**

May cause stomach pain or vomiting.

**Skin contact**

May cause skin irritation/eczema.

**Eye contact**

May cause temporary eye irritation.

**4.3. Indication of any immediate medical attention and special treatment needed****Notes for the doctor**

Treat symptomatically. Keep affected person under observation. May cause sensitisation or allergic reactions in sensitive individuals.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing Media**

Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture****Specific hazards**

Fire causes formation of toxic gases. Forms explosive mixtures with air. May explode when heated or when exposed to flames or sparks.

**Hazardous decomposition products**

Thermal decomposition or combustion products may include the following substances: Very toxic or corrosive gases or vapours.

**5.3. Advice for firefighters****Protective actions during firefighting**

Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

**SAFETY DATA SHEET****AKPEROX CAT K**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**Special protective equipment for firefighters** Regular protection may not be safe. Wear chemical protective suit. Wear positive pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****Personal precautions**

No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. Avoid contact with contaminated tools and objects.

**6.2. Environmental precautions****Environmental precautions**

Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

**6.3. Methods and material for containment and cleaning up****Methods for cleaning up**

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use only non-sparking tools. Do not allow material to enter confined spaces, due to the risk of explosion. This product is corrosive. Provide adequate ventilation. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental

## SAFETY DATA SHEET

### AKPEROX CAT K

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### 6.4. Reference to other sections Reference to the other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. In use may form flammable/explosive vapour-air mixture. Vapours may accumulate on the floor and in low-lying areas. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Immediate first aid is imperative. Suspected of causing genetic defects. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

#### Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities Storage precautions

Store away from other materials. Eliminate all sources of ignition. Take precautionary measures against static discharges. Earth container and transfer equipment to eliminate sparks from static electricity. Keep away from oxidizing materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor

## SAFETY DATA SHEET

### AKPEROX CAT K

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

should be leak-tight, jointless and not absorbent. Store in tightly closed original container in a dry, cool (-5) - (-10)°C and well-ventilated place.

#### 7.3. Specific end use(s) Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control Parameters


Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Bis(3,5,5-trimethylhexanoyl) peroxide	Workers	Inhalation	Long-term exposure	1.8 mg/m <sup>3</sup>
	Workers	Dermal	Long-term exposure	0.67 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Bis(3,5,5-trimethylhexanoyl) peroxide	Fresh water	0,0031 mg/l
	Marine water	0,00031 mg/l
	Fresh water sediment	0,023 mg/kg
	Marine sediment	0,0023 mg/kg
	Soil	0,0029 mg/kg
	Sewage treatment plant	0,35 mg/l

### 8.2. Exposure controls Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled

**SAFETY DATA SHEET****AKPEROX CAT K**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilating equipment.

**Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

**Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

**Other skin and body protection**

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

**Hygiene measures**

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

**Respiratory protection**

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Wear suitable mask. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14 387 and EN143. Full face mask respirators with replaceable filter cartridges should comply with European Standard



**SAFETY DATA SHEET****AKPEROX CAT K**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

**Environmental exposure controls**

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**SECTION 9: Physical and Chemical Properties****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Colorless Liquid.
<b>Colour</b>	Colourless.
<b>Odour</b>	Characteristic.
<b>Melting point</b>	No data available.
<b>Flash point</b>	No data available.
<b>Solubility(ies)</b>	Partially soluble in water.
<b>Density</b>	0,875 ± 0,005 g/cm <sup>3</sup> (@0°C)
<b>Viscosity</b>	13 mPa.s 20°C

**9.2. Other information**

<b>Active Oxygen Content</b>	3,76 - 3,88 %
<b>SADT</b>	10°C

**SECTION 10: Stability and reactivity****10.1. Reactivity**

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

**10.2. Chemical stability**

<b>Stability</b>	Stable under recommended storage conditions.
------------------	--

**10.3. Possibility of hazardous reactions**

<b>Possibility of hazardous reactions</b>	Not available.
---	----------------

**10.4. Conditions to avoid**

<b>Conditions to avoid</b>	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented. Do not pressurise, cut, weld, drill, grind or otherwise expose containers to heat or sources of ignition.
----------------------------	--

**SAFETY DATA SHEET****AKPEROX CAT K**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**10.5. Incompatible materials****Materials to avoid**Strong alkalis. Strong acids. Strong oxides. Strong reducing agents.  
Metals.**10.6. Hazardous decomposition products****Hazardous decomposition Products**Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrocarbons.**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Product Information****Toxicological information**

The product is not tested.

**Serious eye damage/irritation:**

Based on available data the classification criteria are not met.

**Skin corrosion/irritation:**

Causes skin irritation.

**Respiratory or skin sensitisation:****Respiratory sensitisation**

Based on available data the classification criteria are not met.

**Skin sensitisation**

May cause an allergic skin reaction.

**Germ cell mutagenicity:**

Genotoxicity - In Vitro - In Vivo Based on available data the classification criteria are not met.

**Carcinogenicity:**

Based on available data the classification criteria are not met.

**Reproductive Toxicity - Fertility**

Based on available data the classification criteria are not met.

**Reproductive Toxicity –****Development**

Based on available data the classification criteria are not met.

**Specific target organ toxicity - single exposure:****STOT - Single exposure**

Based on available data the classification criteria are not met.

**Specific target organ toxicity - repeated exposure:****STOT - Repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Aspiration Hazard**

May be fatal if swallowed and enters airways.

**Inhalation**

May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

**Ingestion**

May cause burns in mucous membranes, throat, oesophagus and stomach. Harmful: may cause lung damage if swallowed.

## SAFETY DATA SHEET

### AKPEROX CAT K

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>Skin contact</b>	Irritating to skin. Risk of sensitisation or allergic reactions among sensitive individuals.
<b>Eye contact</b>	May cause temporary eye irritation.
<b>Route of entry</b>	Ingestion Inhalation Skin and/or eye contact
<b>Target organs</b>	Respiratory system, lungs
<b>Medical considerations</b>	Skin disorders and allergies.

#### Toxicology Data For The Ingredients:

##### Bis(3,5,5-trimethylhexanoyl) peroxide

Acute oral toxicity	LD50: >5000 mg/kg	Species: Rat
Acute dermal toxicity	LD50: >2000 mg/kg	Species: Rat

##### Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

Acute oral toxicity	LD50: >5,000 mg/kg	Species: Rat
---------------------	--------------------	--------------

## SECTION 12: Ecological Information

### 12.1. Toxicity

#### Ecological information on ingredients.

##### Bis(3,5,5-trimethylhexanoyl) peroxide

<b>Toxicity to fish</b>	LC50, 96h (Danio rerio (zebra fish)): > 1,000 mg/l
<b>Toxicity to algae</b>	EC50, 72h (Desmodesmus subspicatus (green algae)): > 100 mg/l
<b>Toxicity to daphnia and other aquatic invertebrates</b>	EC50, 48h (Daphnia magna (Water flea)): > 100 mg/l

##### Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

<b>EC50 / 48h</b>	>0.04 mg/l (daphnia magna)
<b>IC50 / 72h</b>	>0.04 mg/l (alga)

### 12.2. Persistence and degradability

**Persistence and degradability** No data available on degradability.

### 12.3. Bio accumulative potential

**Bio accumulative potential** No data available on bioaccumulation.

### 12.4. Mobility in soil

## SAFETY DATA SHEET

### AKPEROX CAT K

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**Mobility** The product is partly miscible with water and may spread in the aquatic environment.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

**Other adverse effects** May be hazardous to aquatic life.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### General information

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

##### Disposal methods

Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Containers should be thoroughly emptied before disposal because of the risk of a fire. Do not cut or weld used containers unless they have been thoroughly cleaned internally.

### SECTION 14: Transport information

#### General information

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

#### 14.1. UN number

UN No. (ADR/RID)	3115
UN No. (IMDG)	3115
UN No. (ICAO)	3115
UN No. (ADN)	3115

#### 14.2. UN proper shipping name

## SAFETY DATA SHEET

### AKPEROX CAT K

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>Proper Shipping name(ADR/RID)</b>	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED LIQUID (Bis(3,5,5 trimethylhexanoyl) peroxide)
<b>Proper Shipping name (IMDG)</b>	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED LIQUID (Bis(3,5,5 trimethylhexanoyl) peroxide)
<b>Proper Shipping name (ICAO)</b>	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED LIQUID (Bis(3,5,5 trimethylhexanoyl) peroxide)
<b>Proper Shipping name (ADN)</b>	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED LIQUID (Bis(3,5,5 trimethylhexanoyl) peroxide)

#### 14.3. Transport hazard class(es)

<b>ADR/RID class</b>	5.2
<b>ADR/RID label</b>	5.2
<b>IMDG class</b>	5.2
<b>ICAO class/division</b>	5.2
<b>ADN class</b>	5.2

#### Transport labels



#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

#### 14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

<b>EmS</b>	F-F, S-R
<b>Emergency Action Code</b>	2WE
<b>Hazard Identification Number (ADR/RID)</b>	-
<b>Tunnel restriction code</b>	(D)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL** No data available.

**SAFETY DATA SHEET****AKPEROX CAT K**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**

Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.

**EU legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information****Key literature references and sources for data**

This SDS is prepared based on the information received from the product owner.

**Classification procedures according to Regulation (EC) 1272/2008**

Skin Irrit. 2 - H315; Skin Sens. 1 - H317; Asp. Tox. 1 - H304: Calculation method. Org. Perox. D - H242: : Expert judgement

**Training advice**

Read and follow manufacturer's recommendations. Only trained personnel should use this material.

**Revision comments**

Revised section 3.

**Issued By**

Simge ARIK - lab@akpakimya.com +90 282 361 80 99

**Issued Date**

25.11.2009

**Revision date**

31.05.2019

**Revision**

3.0

**Hazard statements in full  
H226**

Flammable liquid and vapour.

**SAFETY DATA SHEET****AKPEROX CAT K**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>H242</b>	Heating may cause a fire.
<b>H304</b>	May be fatal if swallowed and enters airways.
<b>H315</b>	Causes skin irritation.
<b>H317</b>	May cause an allergic skin reaction.
<b>H413</b>	May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.