

SAFETY DATA SHEET**AKQUICK T300**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name AKQUICK T300
Chemical name N,N-DIMETHYL-PARA-TOLUIDINE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial use.
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Manufacturer AKPA KİMYA AMBALAJ SANAYİ VE TİCARET ANONİM ŞİRKETİ
Yenibosna Merkez Mah. Ladin Sok. No:36/70 Kat:12 34197
Townofis Bahçelievler, İstanbul, TÜRKİYE
Web: www.akpakimya.com
TEL: +90 212 580 55 59
FAX: +90 212 580 55 21
E-mail: info@akpakimya.com
Contact person Export Department - export@akpakimya.com

1.4. Emergency telephone number

Emergency telephone CHEMTREC: TOLL Free 1-800-424-9300 / Local: +1-703-527-3887
For product information AKPA KİMYA: +90 549 558 40 40

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

Physical hazards Not classified.
Health hazards Acute Tox. 3 - H301; Acute Tox. 3 - H311; Acute Tox. 3 - H331; STOT RE 2 - H373
Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements**Pictogram****Signal Word****Hazard statements****Danger**

H301 Toxic if swallowed.
H311 Toxic in contact with skin.

SAFETY DATA SHEET

AKQUICK T300

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

- H331** Toxic if inhaled.
- H373** May cause damage to organs through prolonged or repeated exposure.
- H412** Harmful to aquatic life with long lasting effects.

Precautionary statements

- P260** Do not breathe vapour/spray.
- P270** Do not eat, drink or smoke when using this product.
- P273** Avoid release to the environment.
- P280** Wear protective gloves/ protective clothing/ eye protection/ face protection.
- P301+310** IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
- P302+352** IF ON SKIN: Wash with plenty of soap and water.
- P304+P340** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P311** Call a POISON CENTER or doctor/physician.
- P403+233** Store in a well-ventilated place. Keep container tightly closed.
- P411+235** Store at temperatures between (+5°C) / (+30°C). Keep cool.
- P501** Dispose of contents/ container in accordance with regional regulations.

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Contains N,N-Dimethyl-Para-Toluidine

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

N,N-Dimethyl-Para-Toluidine		>98,5 %	
CAS Number	99-97-8	EC Number	202-805-4
Classification			
Acute Tox. 3	H301		
Acute Tox. 3	H311		
Acute Tox. 3	H331		
STOT RE 2	H373		
Aquatic Chronic 3	H412		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

SAFETY DATA SHEET**AKQUICK T300**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

4.1. Description of first aid measures

General information	Remove affected person from source of contamination. Get medical attention if any discomfort continues.
Inhalation	Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.
Ingestion	Immediately rinse mouth and provide fresh air. Get medical attention immediately!
Skin contact	Remove victim immediately from source of exposure. Immediately remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

General information	See Section 11/2.2 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	May cause unconsciousness, blindness and possibly death.
Ingestion	May cause stomach pain or vomiting. Ingestion may result in unconsciousness, blindness and death.
Skin contact	May cause skin irritation/eczema.
Eye contact	May cause severe irritation to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. May cause sensitization or allergic reactions in sensitive individuals.
-----------------------------	--

SAFETY DATA SHEET**AKQUICK T300**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing Media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture**Specific hazards**

Containers can burst violently or explode when heated, due to excessive pressure build-up. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.

Hazardous decomposition products

Thermal decomposition or combustion products may include the following substances: Very toxic gases or vapours.

5.3. Advice for firefighters**Protective actions during firefighting**

Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****Personal precautions**

No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid contact with skin and eyes.

6.2. Environmental precautions

SAFETY DATA SHEET**AKQUICK T300**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Environmental precautions

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

6.3. Methods and material for containment and cleaning up**Methods for cleaning up**

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use only non-sparking tools. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections**Reference to the other sections**

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Usage precautions**

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

7.2. Conditions for safe storage, including any incompatibilities**Storage precautions**

Store away from other materials. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

SAFETY DATA SHEET**AKQUICK T300**


COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

7.3. Specific end use(s)**Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection**8.1. Control Parameters****Occupational exposure limits:**

No exposure limits noted for ingredient(s).

8.2. Exposure controls**Protective equipment****Appropriate engineering controls**

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimize worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimize exposure.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacture, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer,

SAFETY DATA SHEET**AKQUICK T300**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Wear suitable mask. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'- marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14 387 and EN143. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

Environmental exposure controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and Chemical Properties**9.1. Information on basic physical and chemical properties**

Appearance	Liquid.
Colour	Yellowish to Light Yellow
Odour	Characteristic.
Melting point / melting range	No data available.
Flash point	No data available.
Bulk density	No data available.
Solubility(ies)	Insoluble in water.

SAFETY DATA SHEET**AKQUICK T300**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Viscosity	No data available.
Density	0,935 ± 0,01 gr/cm ³ (@20°C)
9.2. Other information	No data available.

SECTION 10: Stability and reactivity**10.1. Reactivity****Reactivity** No specific reactivity hazards associated with this product.**10.2. Chemical stability****Stability** Stable under normal temperature conditions and recommended use.**10.3. Possibility of hazardous reactions****Possibility of hazardous reactions** Will not polymerise.**10.4. Conditions to avoid****Conditions to avoid** Avoid heat, flames and other sources of ignition.**10.5. Incompatible materials****Materials to avoid** Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Chloroformates, Halogens.**10.6. Hazardous decomposition products****Hazardous decomposition Products** Carbon Dioxide. Carbon Monoxide.**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Product Information****Toxicological information**Acute toxicity
Oral LD50 (rat): 980 mg/kg
Dermal LD50 (rabbit): >2000 mg/kg
Inhalation LC50 (rat): 1400 mg/m³ /4h**Serious eye damage/irritation:**

Based on available data the classification criteria are not met.

Skin corrosion/irritation:

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation:**Respiratory sensitisation**

Based on available data the classification criteria are not met.

Skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity:

SAFETY DATA SHEET**AKQUICK T300**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Genotoxicity - In Vitro	Based on available data the classification criteria are not met.
Genotoxicity - In Vivo	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive Toxicity - Fertility	Based on available data the classification criteria are not met.
Reproductive Toxicity – Development	Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure:	
STOT - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure:	
STOT - Repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration Hazard	Based on available data the classification criteria are not met.
Inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Toxic by inhalation.
Ingestion	Toxic if swallowed. Ingestion of large amounts may cause unconsciousness.
Skin contact	Toxic in contact with skin.
Eye contact	Risk of serious damage to eyes. May cause blurred vision and serious eye damage.

SECTION 12: Ecological Information

12.1. Toxicity	No data available.
12.2. Persistence and degradability	
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bio accumulative potential	
Bio accumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessment	This product does not contain any PBT or vPvB substances.
12.6. Other adverse effects	
Other adverse effects	No data available.

SAFETY DATA SHEET

AKQUICK T300

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods

Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Containers should be thoroughly emptied before disposal because of the risk of a fire. Do not cut or weld used containers unless they have been thoroughly cleaned internally.

SECTION 14: Transport information

General information

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

14.1. UN number

UN No. (ADR/RID)	2810
UN No. (IMDG)	2810
UN No. (ICAO)	2810
UN No. (ADN)	2810

14.2. UN proper shipping name

Proper Shipping name(ADR/RID)	TOXIC LIQUID, ORGANIC, N.O.S. (N, N-DIMETHYL-PARA-TOLUIDINE)
Proper Shipping name (IMDG)	TOXIC LIQUID, ORGANIC, N.O.S. (N, N-DIMETHYL-PARA-TOLUIDINE)
Proper Shipping name (ICAO)	TOXIC LIQUID, ORGANIC, N.O.S. (N, N-DIMETHYL-PARA-TOLUIDINE)
Proper Shipping name (ADN)	TOXIC LIQUID, ORGANIC, N.O.S. (N, N-DIMETHYL-PARA-TOLUIDINE)

14.3. Transport hazard class(es)

SAFETY DATA SHEET

AKQUICK T300

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

ADR/RID class	6.1
ADR/RID label	6.1
IMDG class	6.1
ICAO class/division	6.1
ADN class	6.1

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ADN packing group	III
ICAO packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-A, S-A
Emergency Action Code	3X
Hazard Identification Number (ADR/RID)	60

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL Not Applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations
Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.

SAFETY DATA SHEET**AKQUICK T300**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information**Key literature references and sources for data**

This SDS is prepared based on the information received from the product owner.

Classification procedures according to Regulation (EC) 1272/2008

Acute Tox. 3 - H301; Acute Tox. 3 - H311; Acute Tox. 3 - H331; STOT RE 2 - H373; Aquatic Chronic 3 - H412: Calculation method.

Training advice

Read and follow manufacturer's recommendations. Only trained personnel should use this material.

Revision comments

The SDS is generated in accordance with the 1907/2006 REACH and 1272/2008 CLP regulations.

Issued By

Simge ARIK - lab@akpakimya.com +90 282 361 80 99

Issued Date

12.02.2014

Revision date

31.05.2019

Revision

1.0

Hazard statements in full**H301**

Toxic if swallowed.

H311

Toxic in contact with skin.

H331

Toxic if inhaled.

H373

May cause damage to organs through prolonged or repeated exposure.

H412

Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET**AKQUICK T300**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.